

Explore for Claims Data Dictionary
 Model: GW - Claim Loss Financial - ITD



Published on 10-Feb-2026
 ©2026 Guidewire Software, Inc. For information about Guidewire trademarks, visit <http://guidewire.com/legal-notices>.
 Guidewire Proprietary & Confidential – DO NOT DISTRIBUTE

Model column name	Description	Type	Source table name	Source column name	Formula
Attributes (A-Z)					
Accident Type	Code, such as Contact with fire or flame, Cut, puncture, scrape, injured by broken glass, or Fall, slip, or trip injury on same level, indicating detailed type of accident for an exposure's claim, augmenting Loss Cause.	Text	efr_dim_claim	tn_accidenttype	
Account Row Exp Date	Date and time when a row from the account dimension expires. <i>Note: This is a hidden column. If you have view-only permissions for this model, you can't create visualizations with this column.</i>	Date	efr_dim_account	row_exp_dts	
Claim Assigned Group Name	Name of a group to which a claim is assigned. Groups organize ClaimCenter users such that anyone within a group can handle any unassigned item that is available within the group. Each group can consist of subgroups or individual ClaimCenter users.	Text	efr_dim_claim	dn_assignedgroupid_name	
Claim Assigned Group PublicID	Unique generated ID that isn't human-readable, for a group or user.	Text	efr_dim_claim	fk_assignedgroupid_bkey	
Claim Assigned User Name	First and last name of the ClaimCenter user who assigned a claim.	Text	efr_dim_claim	dn_assigneduserid_contactid_cf_fullname	
Claim Assigned User PublicID	Unique generated ID that isn't human-readable, for a group or user.	Text	efr_dim_claim	fk_assigneduserid_bkey	
Claim ID	Unique ID of a claim	Number	efr_dim_claim	id	
Claim Number	External identifier of a claim.	Text	efr_dim_claim	claimnumber	
Claim Row Exp Date	Date and time when a row from the claim dimension expires. <i>Note: This is a hidden column. If you have view-only permissions for this model, you can't create visualizations with this column.</i>	Date	efr_dim_claim	row_exp_dts	
Claim Segment	Code, such as Auto - glass, Injury - high complexity, or Workers' Comp - employer's liability, that indicates the segmentation type of a claim.	Text	efr_dim_claim	tn_segment	
Claim State	Code, such as Archived, Closed, Draft, or Open, indicating the internal state of a claim.	Text	efr_dim_claim	tn_state	
Claim Strategy	Code, such as Auto - Fast Track, Injury - Investigate, or Workers' Comp - Manage Loss, that indicates the strategy for a claim. Strategy is similar to segmentation, providing a second way to categorize claims.	Text	efr_dim_claim	tn_strategy	
Claim Tier	Code, such as Employer's Liability, Incident Only, or Medical Only, that indicates the tier of the claim. Tier is used to determine the limits to apply to a claim's metrics.	Text	efr_dim_claim	tn_claintier	
Claimant Row Exp Date	Date and time when a row from the claimant dimension expires. <i>Note: This is a hidden column. If you have view-only permissions for this model, you can't create visualizations with this column.</i>	Date	efr_dim_claimant	row_exp_dts	
Claimant Type	Category of the claimant relative to the policy holder, such as Insured or Owner of other vehicle.	Text	efr_dim_exposure	tn_claimanttype	
Closed Date	Date and time when a claim was closed.	Date	efr_dim_claim	closedate	
Coverage Code	Code, such as AUTCollisionCov, of the coverage pattern associated with the claim.	Text	efr_dim_loss_coverage	coveragecode	
Coverage Name	Name, such as Collision, of the coverage pattern associated with the claim.	Text	efr_dim_loss_coverage	coveragename	
Exposure Assigned Group Name	Name of a group to which an exposure is assigned. Groups organize ClaimCenter users such that anyone within a group can handle any unassigned item that is available within the group. Each group can consist of subgroups or individual ClaimCenter users.	Text	efr_dim_exposure	dn_assignedgroupid_name	
Exposure Assigned Group PublicID	Unique generated ID that isn't human-readable, for a group or user.	Text	efr_dim_exposure	fk_assignedgroupid_bkey	
Exposure Assigned User Name	First and last name of a ClaimCenter user to whom an item is assigned. This field is empty when the item is assigned to a queue.	Text	efr_dim_exposure	dn_assigneduserid_cf_fullname	
Exposure Assigned User PublicID	Unique generated ID that isn't human-readable, for a group or user.	Text	efr_dim_exposure	fk_assigneduserid_bkey	
Exposure ID	Unique ID of an exposure.	Number	efr_dim_exposure	id	
Exposure Row Exp Date	Date and time when a row from the exposure dimension expires. <i>Note: This is a hidden column. If you have view-only permissions for this model, you can't create visualizations with this column.</i>	Date	efr_dim_exposure	row_exp_dts	
Exposure State	Code, such as Archived, Closed, Draft, or Open, indicating the internal state of an exposure.	Text	efr_dim_exposure	tn_state	
Exposure Type	Code, such as Baggage, Dwelling, or Living Expenses, indicating the type of an exposure.	Text	efr_dim_exposure	tn_exposuretype	
Line of Business	Code, such as Businessowners Line, Homeowners Line, or Personal Auto Line, indicating the line of business of the policy with which a claim is associated.	Text	efr_dim_claim	tn_lobcode	
Litigation Status	Code, such as Closed, Litigation complete, or In appeal, that indicates the status of litigation on a claim.	Text	efr_dim_claim	tn_litigationstatus	
Loss Category	Detailed category of the exposure.	Text	efr_dim_exposure	tn_losscategory	
Loss Cause	Code, such as Abandonment, Death, or Fire, indicating the general cause of a loss, which is dependent on Loss Type.	Text	efr_dim_claim	tn_losscause	
Loss City	City in which a loss occurred.	Text	efr_dim_region	cityinternal	
Loss Country	Country or region in which a loss occurred. ClaimCenter base implementation defines 242 countries plus Unknown.	Text	efr_dim_region	tn_countryinternal	
Loss County	County in which a loss occurred.	Text	efr_dim_region	countyinternal	
Loss Date	Date on which a loss or accident occurred.	Date	efr_dim_claim	lossdate	
Loss State	State location for the policy associated with a claim.	Text	efr_dim_region	tn_stateinternal	
Loss Type	Code, such as Auto, Liability, Property, Travel, or Workers' Comp, indicating the broad type of loss.	Text	efr_dim_claim	tn_losstype	
Loss Year	Year in which the loss occurred.	Number	efr_dim_claim	lossyear	
Loss Zip Code	Postal/ZIP code in which a loss occurred.	Text	efr_dim_region	postalcodeinternal	
Organization Row Exp Date	Date and time when a row from the organization dimension expires. <i>Note: This is a hidden column. If you have view-only permissions for this model, you can't create visualizations with this column.</i>	Date	efr_dim_organization	row_exp_dts	
Policy Base State	State location where the policy period is based.	Text	efr_dim_policyperiod	tn_basestate	
Policy Number	Policy number on the claim.	Text	efr_dim_policyperiod	policynumber	
Producer Row Exp Date	Date and time when a row from the producer dimension expires. <i>Note: This is a hidden column. If you have view-only permissions for this model, you can't create visualizations with this column.</i>	Date	efr_dim_producer	row_exp_dts	
Reopen Date	Date a claim was reopened; if a claim was reopened multiple times, this field has the most recent reopen date.	Date	efr_dim_claim	reopendate	
Reported Date	Date on which the loss was reported.	Date	efr_dim_claim	reporteddate	
SIU Status	Code, such as Under investigation, No referral, or Investigation closed, indicating the SIU status for a claim.	Text	efr_dim_claim	tn_siustatus	

Explore for Claims Data Dictionary
 Model: GW - Claim Loss Financial - ITD



Published on 10-Feb-2026
 ©2026 Guidewire Software, Inc. For information about Guidewire trademarks, visit <http://guidewire.com/legal-notices>.
 Guidewire Proprietary & Confidential – DO NOT DISTRIBUTE

Model column name	Description	Type	Source table name	Source column name	Formula
UW Company Name	Underwriting company name that is associated with a claim.	Text	efr_dim_uwcompany	name	
UW Company Row Exp Date	Date and time when a row from the underwriting company dimension expires. <i>Note: This is a hidden column. If you have view-only permissions for this model, you can't create visualizations with this column.</i>	Date	efr_dim_uwcompany	row_exp_dts	
Measures (A-Z)					
ITD Deductible Recovery	Total deductible recoveries aggregated from the time that a loss occurred to the current month.	Number	efr_fact_loss_itd	cf_recoverydeductibleamount	
ITD Expense Incurred	Total expense payments and outstanding expense reserves from the time that a loss occurred to the current month.	Number	Formula	Formula	ITD Expense Paid + Outstanding Expense Reserves
ITD Expense Paid	Total LAE and ULAE payments from the time that a loss occurred to the current month.	Number	Formula	Formula	cf_paymentexpenseuaeamount + cf_paymentexpenseulaeamount
ITD Expense Recovery	Expense recoveries aggregated from the time that a loss occurred to the current month.	Number	efr_fact_loss_itd	cf_recoveryexpenseamount	
ITD Expense Recovery Incurred	Total expense recoveries and outstanding expense recovery reserves from the time that a loss occurred to the current month.	Number	Formula	Formula	ITD Loss Expense Recovery + Outstanding Loss Expense Recovery Reserves
ITD Indemnity Incurred	Total indemnity payments and reserves from the time that a loss occurred to the current month.	Number	Formula	Formula	cf_paymentindemnityamount + cf_reserveindemnityamount
ITD Indemnity Paid	Indemnity payments aggregated from the time that a loss occurred to the current month.	Number	efr_fact_loss_itd	cf_paymentindemnityamount	
ITD Indemnity Recovery	Indemnity recoveries aggregated from the time that a loss occurred to the current month.	Number	efr_fact_loss_itd	cf_recoveryindemnityamount	
ITD LAE Expense Paid	Loss adjustment expense (LAE) payments aggregated from the time that a loss occurred to the current month.	Number	efr_fact_loss_itd	cf_paymentexpenseuaeamount	
ITD Loss Expense Recovery	Total expense recoveries, salvage expense recoveries, and subrogation expense recoveries from the time that a loss occurred to the current month.	Number	Formula	Formula	cf_recoveryexpensesalvageamount + cf_recoveryexpensesubamount + cf_recoveryexpenseamount
ITD Loss Incurred	Total loss payments and outstanding loss reserves from the time that a loss occurred to the current month.	Number	Formula	Formula	ITD Loss Paid + Outstanding Loss Reserves
ITD Loss Paid	Total indemnity and medical payments from the time that a loss occurred to the current month.	Number	Formula	Formula	cf_paymentindemnityamount + cf_paymentmedicalamount
ITD Loss Recovery	Total indemnity, deductible, salvage, and subrogation recoveries from the time that a loss occurred to the current month.	Number	Formula	Formula	cf_recoveryindemnityamount + cf_recoverydeductibleamount + cf_recoveryalvageamount + cf_recoverysubamount
ITD Loss Recovery Incurred	Total loss recoveries and outstanding loss recovery reserves from the time that a loss occurred to the current month.	Number	Formula	Formula	ITD Loss Recovery + Outstanding Loss Recovery Reserves
ITD Medical Paid	Medical payments aggregated from the time that a loss occurred to the current month.	Number	efr_fact_loss_itd	cf_paymentmedicalamount	
ITD Net Expense Incurred	The sum of net expense payments and net outstanding expense reserves, from the time that a loss occurred to the current month.	Number	Formula	Formula	(ITD Expense Paid - ITD Loss Expense Recovery) + (Outstanding Expense Reserves - Outstanding Loss Expense Recovery Reserves)
ITD Net Expense Paid	The difference of expense payments and expense recoveries from the time that a loss occurred to the current month.	Number	Formula	Formula	ITD Expense Paid - ITD Loss Expense Recovery
ITD Net Incurred	The sum of net loss payments, net expense payments, net outstanding loss reserves, and net outstanding expense reserves, from the time that a loss occurred to the current month.	Number	Formula	Formula	ITD Net Loss Paid + ITD Net Expense Paid + (Outstanding Net Loss Reserve Change + Outstanding Net Expense Reserves)
ITD Net Loss Incurred	The sum of net loss payments and net outstanding loss reserves, from the time that a loss occurred to the current month.	Number	Formula	Formula	(ITD Loss Paid - ITD Loss Recovery) + (Outstanding Loss Reserves - Outstanding Loss Recovery Reserves)
ITD Net Loss Paid	The difference of loss payments and loss recoveries from the time that a loss occurred to the current month.	Number	Formula	Formula	ITD Loss Paid - ITD Loss Recovery
ITD Salvage	Salvage recoveries aggregated from the time that a loss occurred to the current month.	Number	efr_fact_loss_itd	cf_recoveryalvageamount	
ITD Salvage Expense Recovery	Salvage expense recoveries aggregated from the time that a loss occurred to the current month.	Number	efr_fact_loss_itd	cf_recoveryexpensesalvageamount	
ITD Subrogation	Subrogation recoveries aggregated from the time that a loss occurred to the current month.	Number	efr_fact_loss_itd	cf_recoverysubamount	
ITD Subrogation Expense Recovery	Subrogation expense recoveries aggregated from the time that a loss occurred to the current month.	Number	efr_fact_loss_itd	cf_recoveryexpensesubamount	
ITD Total Incurred	Total expenses and losses incurred from the time that a loss occurred to the current month.	Number	Formula	Formula	ITD Loss Incurred + ITD Expense Incurred
ITD Total Paid	Total payments aggregated from the time that a loss occurred to the current month.	Number	efr_fact_loss_itd	cf_paymenttotalamount	
ITD Total Recovery	Total recoveries aggregated from the time that a loss occurred to the current month.	Number	efr_fact_loss_itd	cf_recoverytotalamount	
ITD ULAE Expense Paid	Unallocated loss adjustment expense (ULAE) payments aggregated from the time that a loss occurred to the current month.	Number	efr_fact_loss_itd	cf_paymentexpenseulaeamount	
Outstanding Deductible Recovery Reserves	Outstanding deductible recovery reserves aggregated from the time that a loss occurred to the current month.	Number	efr_fact_loss_itd	cf_recoveryreservedeductibleamount	
Outstanding Expense Recovery Reserves	Outstanding expense recovery reserves aggregated from the time that a loss occurred to the current month.	Number	efr_fact_loss_itd	cf_recoveryreserveexpenseamount	
Outstanding Expense Reserves	The sum of LAE and ULAE reserves from the time that a loss occurred to the current month.	Number	Formula	Formula	cf_reserveexpenseuaeamount + cf_reserveexpenseulaeamount
Outstanding Indemnity Recovery Reserves	Outstanding indemnity recovery reserves aggregated from the time that a loss occurred to the current month.	Number	efr_fact_loss_itd	cf_recoveryreserveindemnityamount	
Outstanding Indemnity Reserves	Outstanding indemnity reserves aggregated from the time that a loss occurred to the current month.	Number	efr_fact_loss_itd	cf_reserveindemnityamount	
Outstanding LAE Expense Reserves	Outstanding loss adjustment expense (LAE) reserves aggregated from the time that a loss occurred to the current month.	Number	efr_fact_loss_itd	cf_reserveexpenseuaeamount	
Outstanding Loss Expense Recovery Reserves	Total expense, subrogation expense, and salvage expense recovery reserves, aggregated from the time that a loss occurred to the current month.	Number	Formula	Formula	cf_recoveryreserveexpenseamount + cf_recoveryreserveexpensesalvageamount + cf_recoveryreserveexpensesubamount
Outstanding Loss Recovery Reserves	Total indemnity, expense, subrogation expense, salvage expense, and deductible recovery reserves, aggregated from the time that a loss occurred to the current month.	Number	Formula	Formula	cf_recoveryreserveindemnityamount + cf_recoveryreservedeductibleamount + cf_recoveryreservesalvageamount + cf_recoveryreservesubamount
Outstanding Loss Reserves	Total indemnity and medical reserves aggregated from the time that a loss occurred to the current month.	Number	Formula	Formula	cf_reserveindemnityamount + cf_reservemedicalamount
Outstanding Medical Reserves	Outstanding medical reserves aggregated from the time that a loss occurred to the current month.	Number	efr_fact_loss_itd	cf_reservemedicalamount	
Outstanding Net Expense Reserves	The difference of outstanding expense reserves and outstanding expense recovery reserves from the time that a loss occurred to the current month.	Number	Formula	Formula	Outstanding Expense Reserves - Outstanding Loss Expense Recovery Reserves
Outstanding Net Loss Reserve Change	The difference of outstanding loss reserves and loss recoveries from the time that a loss occurred to the current month.	Number	Formula	Formula	Outstanding Loss Reserves - Outstanding Loss Recovery Reserves
Outstanding Salvage Expense Recovery Reserves	Outstanding medical reserves aggregated from the time that a loss occurred to the current month.	Number	efr_fact_loss_itd	cf_recoveryreserveexpensesalvageamount	

Explore for Claims Data Dictionary
 Model: GW - Claim Loss Financial - ITD



Published on 10-Feb-2026
 ©2026 Guidewire Software, Inc. For information about Guidewire trademarks, visit <http://guidewire.com/legal-notices>.
 Guidewire Proprietary & Confidential – DO NOT DISTRIBUTE

Model column name	Description	Type	Source table name	Source column name	Formula
Outstanding Salvage Reserves	Outstanding salvage reserves aggregated from the time that a loss occurred to the current month.	Number	efr_fact_loss_itd	cf_recoveryreservesalveamount	
Outstanding Subrogation Expense Recovery	Outstanding subrogation expense reserves aggregated from the time that a loss occurred to the current month.	Number	efr_fact_loss_itd	cf_recoveryreserveexpensesubroamount	
Outstanding Subrogation Reserves	Outstanding subrogation reserves aggregated from the time that a loss occurred to the current month.	Number	efr_fact_loss_itd	cf_recoveryreservesubroamount	
Outstanding Total Recovery Reserves	Total outstanding recovery reserves aggregated from the time that a loss occurred to the current month.	Number	efr_fact_loss_itd	cf_recoveryreservechangetotalamount	
Outstanding Total Reserves	Total outstanding reserves aggregated from the time that a loss occurred to the current month.	Number	efr_fact_loss_itd	cf_reservechangetotalamount	
Outstanding ULAE Expense Reserves	Outstanding unallocated loss adjustment expense (ULAE) reserves aggregated from the time that a loss occurred to the current month.	Number	efr_fact_loss_itd	cf_reserveexpenseulaeamount	