Explore - Predict Business Impact Monitoring Data Dictionary
Model: BIM Claim Model Results

Model column name	Description	Type	Source table name	Source column name	Formula
Attributes (A-Z)					
Accident Type	Code, such as Contact with fire or flame, Cut, puncture, scrape, injured by broken glass, or Fall, slip, or trip injury on same level, indicating detailed type of accident for an exposure's claim, augmenting Loss Cause.	Text	bim_claims_model_results	accident_type	
Assessment Category	The categorization of the score. For example, a fraud system may use: low_risk, medium_risk, high_risk. A total loss evaluation system may use: repairable, total_loss.	Text	bim_claims_model_results	assessmentcategory	
Assessment Create Time	Date when the assessment was generated.	Date	bim_claims_model_results	assessmentcreatetime	
Assessment Retired	Whether the assessment has been retired from active use. A value of 0 means that the assessment is not retired.	Number	bim_claims_model_results	assessmentretired	
Assessment Subtype	Unique value for the model.	Number	bim_claims_model_results	assessmentsubtype	
Catastrophe	Number and name of a catastrophe with which a claim is associated.	Text	bim_claims_model_results	catastrophe	
Catastrophe Name	Name of a catastrophe with which a claim is associated. Catastrophe names are added to claims in ClaimCenter as catastrophes are cataloged.	Text	bim_claims_model_results	catastrophe_name	
Catastrophe Type	Type of catastrophe with which a claim is associated, namely Internal or ISO. ISO means that the data was generated from a governing body, such as ISO in the United States. Internal means that the data was generated by other means, such as manually by the insurer.	Text	bim_claims_model_results	catastrophe_type	
Claim Assigned Group	Name of a group to which a claim is assigned. Groups organize ClaimCenter users such that anyone within a group can handle any unassigned item that is available within the group. Each group can consist of subgroups or individual ClaimCenter users. For activities, see also: AssignedQueue.Name.	Text	bim_claims_model_results	claim_assigned_group	
Claim Assigned Group Type	Code, such as Defense attorneys, Auto, Clean-up services, or Police, that identifies the function of the group to which a claim is assigned.	Text	bim_claims_model_results	claim_assigned_group_type	
Claim Assigned User	First and last name of a ClaimCenter user to whom an item is assigned. This field is empty when the item is assigned to a queue.	Text	bim_claims_model_results	claim_assigned_user	
Claim Close Date	Date and time when a claim was closed.	Date	bim_claims_model_results	claim_close_date	
Claim Create Time	Timestamp indicating when a claim was created. This is the Time Filter field for the selected index, used by the time picker to restrict search results to a selected or specified time period.	Date	bim_claims_model_results	claim_create_time	
Claim Description	Description of an accident or loss.	Text	bim_claims_model_results	claim_description	
Claim ID	Unique ID of a claim	Number	bim_claims_model_results	claim_id	
Claim Jurisdiction State	Jurisdiction, such as Alaska, California, Western Australia, or District of Columbia, that covers a loss. Depending on regulations that apply to the line of business, this value might differ from the state in which the loss occurred.	Text	bim_claims_model_results	claim_jurisdiction_state	
Claim Number	External identifier of a claim.	Text	bim_claims_model_results	claim_number	
Claim Reported Date	Date on which the loss was reported.	Date	bim_claims_model_results	claim_reported_date	
Claim Segment	Code, such as Auto - glass, Injury - high complexity, or Workers' Comp - employer's liability, that indicates the segmentation type of a claim.	Text	bim_claims_model_results	claim_segment	
Claim Source	Code, such as Auto First and Final or Ordinary, describing how a claim was entered into ClaimCenter. Auto First and Final is a base ClaimCenter value for handling simple auto claims, such as a cracked windshield, that requires only a single first and final payment.	Text	bim_claims_model_results	claim_source	
Claim State	Code, such as Archived, Closed, Draft, or Open, indicating the internal state of a claim.	Text	bim_claims_model_results	claim_state	
Claim Strategy	Code, such as Auto - Fast Track, Injury - Investigate, or Workers' Comp - Manage Loss, that indicates the strategy for a claim. Strategy is similar to segmentation, providing a second way to categorize claims.	Text	bim_claims_model_results	claim_strategy	
Claim Tier	Code, such as Employer's Liability, Incident Only, or Medical Only, that indicates the tier of the claim. Tier is used to determine the limits to apply to a claim's metrics.	Text	bim_claims_model_results	claim_tier	
Claim Update Time	Timestamp when the claim object was last updated	Date	bim_claims_model_results	claim_update_time	
Fatality Claim	Has a value of TRUE if the claim has a high risk of type FatalityClaimIndicator.	Boolean	bim_claims_model_results	fatality_claim	
First Notice Suit	True if at least one lawsuit had been filed at the time of a first notice of loss.	Boolean	bim_claims_model_results	first_notice_suit	
ID	Unique ID of a BIM record.	Number	bim_claims_model_results	id	
Incident Report Only	True if a claim is an incident-only report. Payments are never expected to be made on an incident report for any reason.	Boolean	bim_claims_model_results	incident_report_only	
Large Loss Claim	Has a value of TRUE if the claim has a high risk of type LargeLossClaimIndicator.	Boolean	bim_claims_model_results	large_loss_claim	
Large Loss Notification Status	Status, such as None, InQueue, or Sent, of a large loss claim. Large loss notification threshold is configured in ClaimCenter per line of business (policy type).	Text	bim_claims_model_results	large_loss_notification_status	
Litigation Claim	Has a value of TRUE if the claim has a high risk of type LitigationClaimIndicator.	Boolean	bim_claims_model_results	litigation_claim	
Litigation Status	Code, such as Closed, Litigation complete, or In appeal, that indicates the status of litigation on a claim.	Text	bim_claims_model_results	litigation_status	

Model column name	Description	Type	Source table name	Source column name	Formula
LOB Code	Code, such as Businessowners Line, Homeowners Line, or Personal Auto Line, indicating the line of business of the policy with which a claim is associated.	Text	bim_claims_model_results	lob_code	
Loss Cause	Code, such as Abandonment, Death, or Fire, indicating the general cause of a loss, which is dependent on Loss Type.	Text	bim_claims_model_results	loss_cause	
Loss Date	Date on which a loss or accident occurred.	Date	bim_claims_model_results	loss_date	
Loss Location City	City in which a loss occurred.	Text	bim_claims_model_results	loss_location_city	
Loss Location Country	Country or region in which a loss occurred. ClaimCenter base implementation defines 242 countries plus Unknown.	Text	bim_claims_model_results	loss_location_country	
Loss Location County	County in which a loss occurred.	Text	bim_claims_model_results	loss_location_county	
Loss Location State	State, such as Alaska, California, Western Australia, or District of Columbia, in which a loss occurred.	Text	bim_claims_model_results	loss_location_state	
Loss Location Zip	Postal/ZIP code in which a loss occurred.	Text	bim_claims_model_results	loss_location_zip	
Loss Location Zip5	Loss location zipcode + 5 characters	Text	bim_claims_model_results	loss_location_zip5	
Loss Type	Code, such as Auto, Liability, Property, Travel, or Workers' Comp, indicating the broad type of loss.	Text	bim_claims_model_results	loss_type	
Model	Name of the Predict model.	Text	Formula	Formula	`if ( isnull ( tapsubtypeid ) ) then 'N/A' else tapsubtypeid`
Operation Code	Indicates whether the record is inserted, updated or deleted.	Number	bim_claims_model_results	opcode	
Policy Effective Date	Effective date of the policy related to the claim.	Number	bim_claims_model_results	policy_effective_date	
Policy Number	Policy number on the claim.	Number	bim_claims_model_results	policy_number	
Raw Model Name	Name of the Predict model.	Text	bim_claims_model_results	tapsubtypeid	
Raw Recommended Action	Recommended action assigned by Analytics Manager, based on Predict model scores. If there's no recommended action, the value is null.	Text	bim_claims_model_results	recommendedactiondescription	
Recommended Action	Recommended action assigned by Analytics Manager, based on Predict model scores. For example, "Take a recorded statement from the witness". If there's no recommended action, the value is N/A.	Text	Formula	Formula	`if ( isnull ( recommendedactiondescription ) ) then 'N/A' else recommendedactiondescription`
Retired	True if the claim has been retired from active use in ClaimCenter.	Boolean	bim_claims_model_results	retired	
Salvage Status	Salvage status, such as Open, In review, or Closed, for a claim.	Text	bim_claims_model_results	salvage_status	
Score Date	Date when the score was generated by the Predict model.	Date	bim_claims_model_results	scoredate	
Spark Timestamp	SQL timestamp to millisecond precision	Date	bim_claims_model_results	spark_timestamp	
Measures (A-Z)					
Catastrophic Claim Count	When a claim is associated with a catastrophe, Catastrophic Claim Count equals 1. Aggregate this metric to get a total catastrophic claim count.	Number	bim_claims_model_results	catastrophic_claim_count	
Claim Count	When a claim is created, Claim Count equals 1.	Number	bim_claims_model_results	claim_count	
Claim Count Referred to SIU	Has a value of 1 if a claim was escalated to the SIU team.	Number	bim_claims_model_results	claim_count_referred_to_siu	
Claim Count Referred to Subro	Has a value of 1 if the claim has a high risk of type SubrogationClaimIndicator.	Number	bim_claims_model_results	claim_count_referred_to_subro	
Claim Count with Recovery	Has a value of 1 if a status of a committed recovery transaction is one of the following: submitted, pendingvoid, pendingstop, pendingtransfer, pendingrecode, voided, stopped, transferred, recoded.	Number	bim_claims_model_results	claim_count_with_recovery	
Claim Count with Salvage Recovery	Has a value of 1 if a status of a committed salvage transaction is one of the following: submitted, pendingvoid, pendingstop, pendingtransfer, pendingrecode, voided, stopped, transferred, recoded.	Number	bim_claims_model_results	claim_count_with_salvage_recovery	
Claim Count with Subro Recovery	Has a value of 1 if a status of a committed subrogation transaction is one of the following: submitted, pendingvoid, pendingstop, pendingtransfer, pendingrecode, voided, stopped, transferred, recoded.	Number	bim_claims_model_results	claim_count_with_subro_recovery	
Claim Outstanding Reserves	Claim Outstanding Reserves = Open Reserves – Open Recovery Reserves Open Reserves = Total Reserves – eroding payments made for the claim. Total Reserves = All approved reserves (money allocated to make payments for a claim) with no payments deducted. Open Recovery Reserves = Recovery Reserves - Recoveries Recovery reserves = Estimates of how much money might be recovered from others while settling the claim.	Number	bim_claims_model_results	claim_outstanding_reserves	
Claim Recoveries Paid	Total amount of money received to offset claim payments, such as from salvage, subrogation, and deductibles.	Number	bim_claims_model_results	claim_recoveries_paid	
Claim Reported to Closed Days	Number or days or hours between the date a claim was reported and the date it was closed.	Number	bim_claims_model_results	claim_reported_to_closed_days	
Claim Reported to Closed Hours	Number or days or hours between the date a claim was reported and the date it was closed.	Number	bim_claims_model_results	claim_reported_to_closed_hours	

GUIDEWIRE

Model column name	Description	Type	Source table name	Source column name	Formula
Claim Total Incurred	Claim Total Incurred = Open Reserves – Open Recovery Reserves + Total Payments – Total Recoveries Total Reserves = All approved reserves (money allocated to make payments for a claim) with no payments deducted. Open Reserves = Total Reserves – eroding payments made for the claim. Recovery reserves = Estimates of how much money might be recovered from others while settling the claim. Open Recovery Reserves = Recovery Reserves - Recoveries Total Payments = sum of all submitted payments and payments awaiting submission with a scheduled send date either before or on the current date Total Recoveries = Sum of all submitted recoveries.	Number	bim_claims_model_results	claim_total_incurred	
Claim Total Paid	Sum of all submitted payments and payments awaiting submission with a scheduled send date either on or before the current date.	Number	bim_claims_model_results	claim_total_paid	
Closed Claim Count	When the status of a claim is 'closed', Closed Claim Count equals 1. Aggregate this metric to get a total closed count.	Number	bim_claims_model_results	closed_claim_count	
Expense Paid	Amount spent on overhead costs plus legal costs plus unspecified costs. This amount does not include indemnity payments to claimants or for repairs.	Number	bim_claims_model_results	expense_paid	
Expense to Paid %	Expense Paid divided by the Claim Total Paid.	Number	Formula	Formula	`expense_paid / claim_total_paid`
Loss to Reported Days	Number of days or hours between the date a loss occurred and the date it was reported.	Number	bim_claims_model_results	loss_to_reported_days	
Loss to Reported Hours	Number of days or hours between the date a loss occurred and the date it was reported.	Number	bim_claims_model_results	loss_to_reported_hours	
Open Claim Count	When the status of a claim is 'open', Open Claim Count equals 1. Aggregate this metric to get a total open count.	Number	bim_claims_model_results	open_claim_count	
Reopened Claim Count	If an exposure has a reopen date, Reopened Exposure Count equals 1. Aggregate this metric to get a reopened count.	Number	bim_claims_model_results	reopened_claim_count	
Salvage Recoveries Paid	Amount an insurer receives from the sale of parts on a completely destroyed vehicle.	Number	bim_claims_model_results	salvage_recoveries_paid	
Score	Score generated by the Predict model.	Number	bim_claims_model_results	score	
SIU Score	Special Investigation score. The score is the sum of the Special Investigation rules score and the Special Investigation question set score. After the score reaches a defined threshold, a rule in the claim preupdate rule set creates an activity for the claim handler's supervisor to review. A user with administrator privileges can set the threshold value.	Number	bim_claims_model_results	siu_score	
Subro Recoveries Paid	Amount an insurer receives from a liable party.	Number	bim_claims_model_results	subro_recoveries_paid	